

# Firebox M270 & M370

Up to 8 Gbps firewall throughput, 2.6 Gbps UTM throughput



## ENTERPRISE-GRADE SECURITY FOR SMALL TO MIDSIZE BUSINESSES

Because smaller companies are generally less protected and easier to break into, small business has become the new big target for cyber attacks. The Firebox® M270 and M370 firewalls are specifically engineered to defend all types of small businesses against attacks that are no less fierce than those targeting larger organizations. Our unique product architecture enables SMBs to leverage best-in-class security services - from URL filtering and intrusion prevention to application control and data loss prevention without the cost and complexity of running multiple single-point solutions. The M270 and M370 are part of WatchGuard's award-winning Firebox security platform. The platform not only provides the most complete suite of unified security controls on the market today, it has consistently been the first to offer solutions for addressing new and evolving network threats including advanced malware and ransomware.



The WatchGuard Firebox M370 displayed exceptional performance, outperforming its competitors for stateless and stateful traffic throughput scenarios. Its high-rate performance with security features enabled earns it the Miercom Performance Verified certification.

~ Miercom Performance Test

## **BLAZING FAST PERFORMANCE**

Firebox M270 and M370 Unified Threat Management (UTM) solutions are up to 3 times faster than competing products with all security layers turned on, and up to 94 percent faster performing HTTPS inspection, according to the independent test lab Miercom. This ensures you never have to compromise network security for performance.



#### **OUICK AND SIMPLE DEPLOYMENT**

SMBs usually have smaller, less technical staff, which can make network expansion challenging. RapidDeploy - a powerful, cloud-based deployment and configuration tool – comes standard with WatchGuard Firebox appliances. With it, IT staff can create and store configuration data in the cloud – public or private – and have the appliance directly shipped to its destination. Once the device arrives, it can connect to the cloud for a secure download of its configuration settings, saving your staff travel time and money.

#### EASY TO MANAGE AND UNDERSTAND

The M270 and M370 are not only easy to initially configure and deploy, they are also designed with an emphasis on centralized management, making ongoing policy and network management simple and straightforward. WatchGuard Dimension, included with purchase, provides a suite of big data visibility and reporting tools that instantly identify and distill key network security threats, issues and trends so you can take immediate preventive or corrective action. Security is complex, running it doesn't have to be.

## **FEATURES & BENEFITS**

- · Enterprise-grade prevention, detection, correlation and response from the perimeter to the endpoint with our Total Security Suite.
- · Latest generation multi-core processors from Intel provide the power to run all security scanning engines in parallel without causing performance bottlenecks.
- Gain critical insights about network security, from anywhere and at any time, with WatchGuard Dimension.
- · Built-in compliance reports, including PCI and HIPAA, mean one-click access to the data you need to ensure compliance requirements are met.
- Up to 8 Gbps firewall throughput. Turn on additional security services and still see up to 2.6 Gbps throughput.











| Firebox  | M270   | M370   |
|--|--|--|
| THROUGHPUT   |  |  |
| Firewall (UDP 1518)  | 4.9 Gbps   | 8 Gbps   |
| irewall (IMIX)   | 1.8 Gbps   | 4.7 Gbps   |
| /PN (UDP 1518)   | 1.6 Gbps   | 4.6 Gbps   |
| VPN (IMIX)   | 480 Mbps   | 1.4 Gbps   |
| HTTPS Content Inspection (IPS enabled)   | 480 Mbps   | 800 Mbps   |
| Gateway AntiVirus  | 2.1 Gbps   | 3.0 Gbps   |
| PS(fast/full scan)   | 2.3/0.9 Gbps   | 4.8/2.5 Gbps   |
| UTM(fast/full scan)  | 1.6/0.8 Gbps   | 2.6/1.7 Gbps   |
| CAPACITY   | ·  | ·  |
| Interfaces 10/100/1000   | 8  | 8  |
| /O interfaces  | 1 serial/2 USB   | 1 serial/2 USB   |
| Concurrent connections   | 2,000,000  | 3,300,000  |
| Current connections (proxy)  | 300,000  | 330,000  |
| New connections per second   | 40,000   | 51,000   |
| /LANs  | 100  | 200  |
| WSM licenses (incl)  | 4  | 4  |
| TDR Host Sensors included  | 60   | 150  |
| Authenticated users limit  | 500  | 500  |
| VPN TUNNELS  |  |  |
| Branch Office VPN  | 50   | 100  |
| Mobile VPN   | 75   | 100  |
| SECURITY FEATURES  |  |  |
| Firewall   | Stateful packet inspection, deep pack  | et inspection, proxy firewall  |
| Application proxies  | HTTP, HTTPS, FTP, DNS, TCP/UDP, POP3, SMTP, IMAPS, POP3S and<br>Explicit Proxy   |  |
| Threat protection  | DoS attacks, fragmented & malformed packets, blended threats & more  |  |
| VoIP   | H.323, SIP, call setup and session security  |  |
| Filtering options  | Browser Safe Search, Google for Busin  | ness   |
| VPN & AUTHENTICATION   |  |  |
| Cloud providers  | AWS (Static/Dynamic), Azure (Static/D  | ynamic)  |
| Encryption   | AES 256-128 bit, 3DES, DES   |  |
| PSec   | SHA-2, IKE v1/v2, IKE pre-shared key, 3rd party cert, Suite B  |  |
| Single sign-on   | Windows, Mac OS X, mobile operating systems, RADIUS, SAML 2.0  |  |
| Authentication   | RADIUS, LDAP, Windows Active Direct<br>database, SAML 2.0, SMS Passcode  | ory, VASCO, RSA SecurID, internal  |
| MANAGEMENT   |  |  |
| Logging and notifications  | WatchGuard, Syslog, SNMP v2/v3   |  |
|  | Centralized console (WSM), Web UI, scriptable CLI  |  |
| User interfaces  |  | criptable CLI  |
|  | WatchGuard Dimension includes over<br>executive summary and visibility tool  | r 100 pre-defined reports,   |
| Reporting  |  | r 100 pre-defined reports,   |
| Reporting CERTIFICATIONS   |  | r 100 pre-defined reports,<br>s  |
| Reporting  CERTIFICATIONS  Security*   | executive summary and visibility tool  | r 100 pre-defined reports,<br>s  |
| User interfaces Reporting CERTIFICATIONS Security* Safety Network  | executive summary and visibility tool ICSA Firewall, ICSA IPSec VPN, CC EAL4-  | r 100 pre-defined reports,<br>s  |
| Reporting  CERTIFICATIONS  Security*  Safety  Network  | ICSA Firewall, ICSA IPSec VPN, CC EAL4-INRTL/C, CB   | r 100 pre-defined reports,<br>s  |
| Reporting  CERTIFICATIONS  Security*  Safety  Network  Hazardous substance control   | ICSA Firewall, ICSA IPSec VPN, CC EAL4-INRTL/C, CB IPv6 Ready Gold (routing)   | r 100 pre-defined reports,<br>s  |
| CERTIFICATIONS Security* Safety Network Hazardous substance control NETWORKING   | ICSA Firewall, ICSA IPSec VPN, CC EAL4-INRTL/C, CB IPv6 Ready Gold (routing) WEEE, RoHS, REACH   | r 100 pre-defined reports,<br>s  |
| Reporting  CERTIFICATIONS  Security* Safety  Network  Hazardous substance control  NETWORKING  | ICSA Firewall, ICSA IPSec VPN, CC EAL4-INRTL/C, CB IPv6 Ready Gold (routing) WEEE, RoHS, REACH Static, Dynamic (BGP4, OSPF, RIP v1/v   | r 100 pre-defined reports,<br>s<br>+, FIPS 140-2<br>2), Policy-based routing   |
| Reporting  CERTIFICATIONS  Security* Safety  Network  Hazardous substance control  NETWORKING  Routing   | ICSA Firewall, ICSA IPSec VPN, CC EAL4-INRTL/C, CB IPv6 Ready Gold (routing) WEEE, RoHS, REACH Static, Dynamic (BGP4, OSPF, RIP v1/v Active/passive, active/active with load b   | r 100 pre-defined reports, s -, FIPS 140-2 2), Policy-based routing alancing   |
| CERTIFICATIONS Security* Safety Network Hazardous substance control NETWORKING Routing High Availability QoS   | executive summary and visibility tool  ICSA Firewall, ICSA IPSec VPN, CC EAL4- NRTL/C, CB IPv6 Ready Gold (routing)  WEEE, RoHS, REACH  Static, Dynamic (BGP4, OSPF, RIP v1/v Active/passive, active/active with load b. 8 priority queues, DiffServ, modified s   | r 100 pre-defined reports, s  t-, FIPS 140-2  2), Policy-based routing alancing trict queuing  |
| Reporting  CERTIFICATIONS  Security*  Safety   | executive summary and visibility tool  ICSA Firewall, ICSA IPSec VPN, CC EAL4- NRTL/C, CB IPv6 Ready Gold (routing)  WEEE, RoHS, REACH  Static, Dynamic (BGP4, OSPF, RIP v1/v Active/passive, active/active with load b 8 priority queues, DiffServ, modified s Static, DHCP (server, client, relay), PPF  | r 100 pre-defined reports, s  r 100 pre-defined reports, s  r, FIPS 140-2  2), Policy-based routing alancing strict queuing the policy property of the policy pr |
| Reporting  CERTIFICATIONS  Security* Safety  Network  Hazardous substance control  NETWORKING  Routing  High Availability  QOS  P address assignment | executive summary and visibility tool  ICSA Firewall, ICSA IPSec VPN, CC EAL4- NRTL/C, CB IPv6 Ready Gold (routing)  WEEE, RoHS, REACH  Static, Dynamic (BGP4, OSPF, RIP v1/v Active/passive, active/active with load b. 8 priority queues, DiffServ, modified s   | r 100 pre-defined reports, s r 100 pre-define |
| CERTIFICATIONS Security* Safety Network Hazardous substance control NETWORKING Routing High Availability QoS   | executive summary and visibility tool  ICSA Firewall, ICSA IPSec VPN, CC EAL4- NRTL/C, CB IPv6 Ready Gold (routing)  WEEE, RoHS, REACH  Static, Dynamic (BGP4, OSPF, RIP v1/v Active/passive, active/active with load b 8 priority queues, DiffServ, modified s Static, DHCP (server, client, relay), PPF Static, dynamic, 1:1, IPSec traversal, p | r 100 pre-defined reports, s  t-, FIPS 140-2  2), Policy-based routing alancing strict queuing PoE, DynDNS policy-based, Virtual IP for server   |



#### PHYSICAL AND POWER SPECIFICATIONS

**Product Dimensions** 

17.2" x 1.73" x 12.6" (438 x 44 x 320mm) M270 17" x 1.75" x 12.08" (431 x 44 x 307 mm) M370

**Shipping Dimensions** 

22.0" x 21.3" x 5.1" (560 x 540 x 130mm) M270 18" x 21" x 5.25" (45.7 x 53.3 x 13.3 cm) M370

Shipping Weight

18.9 lbs (8.5Kgs) M270 17 lbs (7.7 Kgs) M370

AC Power 100-240 VAC Autosensing

U.S. 75 Watts (max), 256 BTU/hr (max) **Power Consumption** 

1U rack mount kit included Rack Mountable

#### **ENVIRONMENT**

Relative Humidity

Altitude

OPERATING

Temperature

32° F to 104° F -40° F to 158° F -40° C to 70° C  $0^{\circ}$  C to  $40^{\circ}$  C

10% to 85%

10% to 95% non-condensing non-condensing

0 to 9,843 ft at 95° F 0 to 15,000 ft at 95° F

(3,000 m at 35° C) (4,570 m at 35° C)

MTRE 51,644 hours @ 77° F (25° C)

# STRONG SECURITY AT EVERY LAYER

Uniquely architected to be the industry's smartest, fastest, and most effective network security products, WatchGuard solutions deliver in-depth defenses against advanced malware, ransomware, botnets, trojans, viruses, drive-by downloads, data loss, phishing and much more.

Total and Basic Security Suite packages are available on all Firebox solutions.

| Features & Services                | TOTAL<br>SECURITY SUITE | Basic<br>Security Suite |
|------------------------------------|-------------------------|-------------------------|
| Intrusion Prevention Service (IPS) | ✓                       | ✓                       |
| App Control                        | ✓                       | ✓                       |
| WebBlocker                         | ✓                       | ✓                       |
| spamBlocker                        | ✓                       | ✓                       |
| Gateway AntiVirus                  | ✓                       | ✓                       |
| Reputation Enabled Defense (RED)   | ✓                       | √                       |
| Network Discovery                  | ✓                       | ✓                       |
| APT Blocker                        | ✓                       |                         |
| Data Loss Protection (DLP)         | ✓                       |                         |
| Threat Detection & Response        | ✓                       |                         |
| DNSWatch                           | ✓                       |                         |
| Access Portal*                     | ✓                       |                         |
| IntelligentAV*                     | ✓                       |                         |
| Dimension Command                  | ✓                       |                         |
| Support                            | Gold (24x7)             | Standard (24x7)         |

For details, talk to your authorized WatchGuard reseller or visit www.watchguard.com.

\*Certifications pending.
Throughput rates are determined using multiple flows through multiple ports and will vary depending on environment and configuration. Max firewall throughput tested using 1518 byte UDP packets based on RFC 2544 methodology. UTM throughput is measured using HTTP traffic with AV, IPS, and Application Control enabled. Contact your WatchGuard reseller or call WatchGuard directly (1.800.734.9905) for help determining the right model for your network. Visit www.watchguard.com/sizing to access the online Product Sizing Tool.









